

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/727,473	12/04/2003	Stephen John Brosnan	211467-00246	6262	
27160	7590 01/19	2006	EXAM	EXAMINER	
	MUCHIN ROSEN	TURNER, S	TURNER, SAMUEL A		
	AONROE STREET IL 60661-3693		ART UNIT	PAPER NUMBER	
,			2877		
			DATE MAILED: 01/19/2006		

Please find below and/or attached an Office communication concerning this application or proceeding.

		SF				
	Application No.	Applicant(s)				
	10/727,473	BROSNAN ET AL.				
Office Action Summary	Examiner	Art Unit				
	Samuel A. Turner	2877				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from 1. cause the application to become ABANDONE	I. lely filed the mailing date of this communication. D (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 25 M	<u>ay 2005</u> .					
•	action is non-final.					
3)⊠ Since this application is in condition for allowar closed in accordance with the practice under E						
Disposition of Claims						
4)⊠ Claim(s) <u>1-16</u> is/are pending in the application.						
	4a) Of the above claim(s) is/are withdrawn from consideration. 5) ⊠ Claim(s) <u>1-9</u> is/are allowed. 6) □ Claim(s) is/are rejected. 7) ⊠ Claim(s) <u>10-16</u> is/are objected to.					
5)⊠ Claim(s) <u>1-9</u> is/are allowed.						
6) Claim(s) is/are rejected.						
8) Claim(s) are subject to restriction and/o	r election requirement.					
Application Papers						
9)⊠ The specification is objected to by the Examine	r.					
10)⊠ The drawing(s) filed on <u>19 April 2004</u> is/are: a) accepted or b)⊠ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11)☐ The oath or declaration is objected to by the Ex	caminer. Note the attached Office	Action or form PTO-152.				
Priority under 35 U.S.C. § 119						
12) ☐ Acknowledgment is made of a claim for foreign a) ☐ All b) ☐ Some * c) ☐ None of:	priority under 35 U.S.C. § 119(a))-(d) or (f).				
1. Certified copies of the priority documents have been received.						
2. Certified copies of the priority documents have been received in Application No						
3. Copies of the certified copies of the priority documents have been received in this National Stage						
application from the International Bureau						
* See the attached detailed Office action for a list	of the certified copies not receive	ed.				
Attachment(s)						
1) Notice of References Cited (PTO-892)	4) Interview Summary					
 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) 	Paper No(s)/Mail Da 5) Notice of Informal F	ate Patent Application (PTO-152)				
Paper No(s)/Mail Date <u>5/25/05</u> .	6) Other:					

Application/Control Number: 10/727,473

Art Unit: 2877

DETAILED ACTION

This application is in condition for allowance except for the formal matters that follow.

Prosecution on the merits is closed in accordance with the practice under Exparte Quayle, 1935 C.D. 11, 453 O.G. 213.

A shortened statutory period for reply to this action is set to expire TWO MONTHS from the mailing date of this letter.

Drawings

The drawings are objected to because in figure 1 the AO cell is not labeled as 26 as referred to in the specification. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application.

Replacement Drawing Sheets

Drawing changes must be made by presenting replacement sheets which incorporate the desired changes and which comply with 37 CFR 1.84. An explanation of the changes made must be presented either in the drawing amendments section, or remarks, section of the amendment paper. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). A replacement sheet must include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of the amended drawing(s) must not be labeled as "amended." If the changes to the drawing figure(s) are not accepted by the examiner, applicant will be notified of any required corrective action in the next Office action. No further drawing submission will be required, unless applicant is notified.

Identifying indicia, if provided, should include the title of the invention, inventor's name, and application number, or docket number (if any) if an application number

Application/Control Number: 10/727,473 Page 3

Art Unit: 2877

has not been assigned to the application. If this information is provided, it must be placed on the front of each sheet and within the top margin.

Annotated Drawing Sheets

A marked-up copy of any amended drawing figure, including annotations indicating the changes made, may be submitted or required by the examiner. The annotated drawing sheet(s) must be clearly labeled as "Annotated Sheet" and must be presented in the amendment or remarks section that explains the change(s) to the drawings.

Timing of Corrections

Applicant is required to submit acceptable corrected drawings within the time period set in the Office action. See 37 CFR 1.85(a). Failure to take corrective action within the set period will result in ABANDONMENT of the application.

If corrected drawings are required in a Notice of Allowability (PTOL-37), the new drawings MUST be filed within the THREE MONTH shortened statutory period set for reply in the "Notice of Allowability." Extensions of time may NOT be obtained under the provisions of 37 CFR 1.136 for filing the corrected drawings after the mailing of a Notice of Allowability.

Abstract

The abstract of the disclosure is objected to because the abstract exceeds the range of 50 to 150 words. Correction is required. See MPEP § 608.01(b).

Specification

(c)(1) Any interlineation, erasure, cancellation or other alteration of the application papers filed must be made before the signing of any accompanying oath or declaration pursuant to § 1.63 referring to those application papers and should be dated and initialed or signed by the applicant on the same sheet of paper. Application papers containing alterations made after the signing of an oath or declaration referring to those application papers must be supported by a supplemental oath or declaration under § 1.67. In either situation, a substitute specification (§ 1.125) is required if the application papers do not comply with paragraphs (a) and (b) of this section.

Application/Control Number: 10/727,473

Art Unit: 2877

The handwritten changes to the specification are proper and meet the criteria set forth in 37 CFR 1.52(c)(1) above, however as the alterations are handwritten the application papers do not comply with paragraphs (a) and (b) of 37 CFR 1.52.

Applicant must submit paragraphs [0013], [0014], [0016], and claim 4 to comply with 37 CFR 1.52(a) and (b).

Claim Objections

Claims 10-16 are objected to because of the following informalities: in claim 10 there is no antecedent basis for "said test electronic signal". The antecedent basis from step (b) is "a heterodyned signal". Appropriate correction is required.

Allowable Subject Matter

Claims 1-9 are allowed in view of the prior art of record. The prior art of record fails to teach with regard to claim 1; a subsystem for optically heterodyning the test and reference signals, a subsystem for electrically heterodyning the detected optically heterodyned signal and an electronic reference signal, and a pulse counter for counting the resultant doubly heterodyned signal.

Claims 10-16 are objected to but would be allowable if rewritten to overcome the objection to claim 10.

The prior art of record fails to teach with regard to claim 10; optically heterodyning the test and reference signals, electrically heterodyning the detected optically heterodyned signal and an electronic reference signal, and measuring the

Art Unit: 2877

phase between the electronic reference signal and the resultant doubly heterodyned signal.

Relevant Prior Art

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Palma(4,295,741) and Smith(4,847,477) are cited as a phase control heterodyne interferometers, and Wickham et al(6,972,887) is cited for the phase control system(60, figure 6).

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Samuel A. Turner whose phone number is 571-272-2432.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gregory J. Toatley, Jr., can be reached on 571-272-2800 ext. 77.

The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Samuel A. Turner Primary Examiner Art Unit 2877